Activities Covered by this Assessment	Spring Term 2022 – School activities during	COVID 19 outbreak at Government Plan B rei	introducing measures as appropriate.
	During this evolving situation please	monitor and follow government guidance give	ven in the web links provided
	All normal working practices should	be assumed to continue unless they need to	be changed for the duration.
Location	Leighfield Primary School	Organisation	DISCOVERY
Note: A person specific assessment must	be carried out for young persons, disabled staff	and new and expectant mothers if appropriat	te
This risk assessmen	nt has been developed in conjunction with LTS ar	d Leicestershire County Council and has beer	n adapted to include
	of risk assessments as the DfE have indicated tha		
_	ort duration but may mean that there are freque	ent changes required. All reinstatements shou	uld be on the advice of public health (PH)
and schools should tailor any risk assessn	nent reviews to PH advice.		
This risk assessment template is designed	d to address the covid controls during the norma	I day to day operation of a school- Guidance	found <u>here.</u>
Brief summary of changes for schools at 0	Government Plan B		
Close Contacts	CH		
	fully vaccinated and all children and young peop		
	ke a LFD test every day for 7 days and continue t	o attend their setting as normal, unless they f	have a positive test result. Daily testing o
close contacts applies to all contacts who			
 fully vaccinated adults – people v 	who have had 2 doses of an approved vaccine		
 all children and young people age 	ed 5 to 18 years and 6 months, regardless of the	ir vaccination status	
 people who are not able to get value 			

Schools should continue to:

- Exercise good hand hygiene.
- Exercise good respiratory hygiene, catch it, bin it, kill it principles.



- Use 'enhanced cleaning' regimes, particularly on frequently touched surfaces (record cleaning routines daily and sign off weekly).
- Maintain good ventilation in occupied parts of the school, balancing ventilation with thermal comfort.
- Use PPE where appropriate to their setting or activity (link).
- Have systems in place to encourage all who have symptoms of covid to self-isolate (including household siblings), engage with test and trace and follow PH advice.
- Engage with regular LFD testing (twice a week)

Outbreak Management Plan: Schools will be required to operate an 'Outbreak Management Plan'. Schools may be contacted in exceptional cases to identify close contacts, as currently happens in managing other infectious diseases. Schools will continue to have a role in working with health protection teams in the case of a local outbreaks. Schools should ask parents and staff to inform them **immediately** of the results of a test and then they must follow: <u>'stay at home: guidance for households with possible or confirmed</u> <u>coronavirus (COVID-19) infection'</u>

Face Coverings:

The reintroduction of face coverings for pupils, students or staff in corridors and communal areas came into force on 10th December 2021 following the Government announcement of Plan B. Headteachers to review local settings and make local decisions accordingly.

Domestic residential educational visits:

Any domestic and international residential educational visits must be conducted in line with relevant COVID-19 guidance and regulations in place at that time and for the country you are visiting. For international trips the foreign and commonwealth office (FCO) should be consulted before any trip is considered. (For *international visits* school will need to be mindful of any restrictions in place regarding the red, amber and green list and be mindful that for amber countries there may be requirements for all participants to quarantine or self-isolate upon return)

Schools will also need to be mindful to check their insurance status for short notice cancellation. For guidance refer to gov.uk or https://oeapng.info/

Rapid Result Tests (Lateral Flow Device Tests)

Rapid Result Testings (Lateral Flow Tests) should continue to be conducted twice weekly of staff in order to help detect those who are carrying the Covid 19 virus without displaying symptoms. Lateral Flow Tests are undertaken at home, ideally in the morning prior to leaving for work but can be done the evening before. Home tests are taken 3-4 days apart and staff participating report all test results to Track and Trace as per guidance. *Although encouraged and prior consent is required, this testing is voluntary*. **Headteachers actively consult with staff on local setting measures, inviting feedback to develop practice and health and safety measures, that where reasonably practicable,**



protect the whole school community. Individual risk assessments are developed for all colleagues and pupils that require one. This includes pregnant women, BAME and Clinically Vulnerable / Clinically Extremely Vulnerable.

Monitoring and review of risk controls

It is important that employers know how effective their risk controls are. You should monitor and review the preventive and protective measures regularly, to ensure the measures are working, and taking action to address any shortfalls. Please contact the central team for further guidance as required.

Hazard			l i	tial Ri Rating (S x L)	5		l	nal Ris Rating (S x L)		Actio	on Require	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
Catching or Spreading COVID-19	Staff, pupils, visitors and contractors. <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19</i>	 Twice weekly Lateral Flow Device (LFD) testing for all staff - consisting of two LFD tests taken at home each week, 3 to 4 days apart. Lateral Flow Test Results A negative result will allow the tested person to remain in school. A positive result will require the tested person start a 10 day self-isolation period with the possibility of ending isolation after 5 full days following a negative LFT on Day 5 and Day 6. The use of public transport 	м	м	М	Staff will be asked to wear face masks in communal areas (unless exempt) and when working in close proximity to others. Staff meetings will be held virtually or socially distanced within a well- ventilated space. All persons are expected to limit close contacts as far as is reasonably practicable with those persons they do not normally live with (i.e. considering the frequency, duration & numbers of contacts).	М	L	L			





Hazard			F	tial Ri Rating (S x L)				nal Ri Rating (S x L)	ł	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
Catching or Spreading COVID-19 (continued)	Staff, pupils, visitors and contractors. Reduced infection control which may result in spread of COVID19	 should be avoided where possible by the person testing positive. Staff, pupils, visitors and contractors do not come into the school if they have COVID19 symptoms or have tested positive in the last 10 days. Anyone developing COVID19 symptoms is sent home. Persons who have symptoms will isolate and be asked to book a PCR test within 2 days of symptoms developing. Follow good respiratory hygiene and skin cleaning hygiene measures at all times. 										
Suspected case whilst on site or Positive LFT Test result	Staff, pupils, visitors and contractors. <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19</i>	 When a person develops symptoms compatible with COVID 19 (A high temperature, a persistent cough, or a loss or change to the sense of taste or smell) they should leave the site to start a 10 day self- isolation period and undertake 	М	М	М	 The school holds a stock of self- testing kits that are available for use where it is considered that this would increase the likelihood of the test being taken. Anyone identifies as a close contact from the age of 5 should 	М	L	L			





Hazard			F	tial Ri Rating (S x L)	g			inal Ri Rating (S x L)	g	Acti	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
Suspected case whilst on site or Positive PCR Test result (continued)	Staff, pupils, visitors and contractors. Reduced infection control which may result in spread of COVID19	 a PCR Test as soon as possible. The use of public transport should be avoided where possible. A pupil awaiting to be collected, is moved, if possible, to a room where they can be isolated behind a closed door (<i>depending on the age and</i> <i>needs of the pupil</i>) with appropriate adult supervision if required. Windows are open for ventilation. PPE is worn by staff caring for the pupil while they await collection if a distance of 2 metres cannot be maintained. The area around the pupil with symptoms is cleaned after they have left. (See cleaning hazard) Everyone washes their hands thoroughly for 20 seconds with soap and running water or use hand sanitiser after any contact with someone who is unwell. 				conduct a daily LFT for 7 days.						



Hazard		E itin Control	F	tial Ri Rating (S x L)	3			nal Ri Rating (S x L)	ł	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 Those persons under 18 Years old and/or double vaccinated, who are identified as close contacts by the NHS Test & Trace system, will not be required to self-isolate, but will be advised to take a daily LFT for 7 days. If someone has had close contact with another person who has tested positive with the omicron variant, they will be contacted by test and trace and required to isolate for 10 days. 										
Lack of awareness	Staff, pupils, visitors and contractors. Reduced infection control which may result in spread of COVID19	 Clear posters, signage and information is to be displayed around the site (and particularly in welfare areas) reminding all persons of hygiene and hand washing requirements. Staff are to challenge any person not adhering to the 	М	L	L	 Regular letters and emails to staff are sent to remind parents/staff of the latest guidance and school protocols. 	м	L	L			



Hazard		E intine Control	F	tial Ri Rating (S x L)				inal Ri Rating (S x L	3	Actio	on Require	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		control measures within this risk assessment.										
Visitors to site	Staff, pupils, parents/ visitors and contractors. <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19</i>	 Visitors to site should be kept to a minimum, appointments preferred so that: i. Visitors are asked if they have any symptoms of COVID19 or have had contact with anyone who has symptoms of COVID19, before they arrive on site. 	М	L	L	• All visitors will be asked to wear a face covering whilst on site.	м	L	L			



Hazard			F	itial Ri Rating (S x L)	3			inal Ri Rating (S x L)	g	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
Use of public transport/school taxis	Staff, pupils, parents/ visitors and contractors. Reduced infection control which may result in spread of COVID19	 Pupils and staff are encouraged to cycle or walk to work. Communication links with school taxi companies in place Communicate information to parents and staff where appropriate. pupils clean their hands before boarding transport and again on disembarking. Fresh air (from outside the vehicle) through ventilation, is maximised through opening windows and ceiling vents. Pupils have been informed not board home to school transport if they, or a member of their household, has had a positive test result or has symptoms of coronavirus (COVID19) 	М	м	м		м	М	М			
Lunchtime hall / canteen use – exposure from large	Staff, pupils, parents/ visitors and contractors.	• Children will wash or sanitise their hands when entering and exiting the dinner hall.	м	L	L	 Contingency planning in place if deemed necessary for children to go back to sittings 	м	L	L			





Hazard			F	tial R Rating (S x L)	g			nal Ri Rating (S x L	g	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
numbers of persons	Reduced infection control which may result in spread of COVID19	 Hall windows will be opened for ventilation. Drinking water should be provided with enhanced cleaning measures. Where possible, Kitchen windows should remain open to increase ventilation (Fly-screens should be fitted). Tables and chairs should be cleaned regularly. All rubbish and waste should be put straight in the bin by the user and not left for someone else to clear up. All areas used for eating must be thoroughly cleaned at the end of each break and shift, including chairs and door handles. 				to reduce the number of contacts within the hall.						
Poor Hand Hygiene	Reduced infection control which may result in spread of COVID19	 Pupils and staff to wash their hands with soap and water for at least 20 seconds, or sanitise on arrival at school, before eating and after breaks. Avoid touching your 	м	L	L		м	L	L			

9



Hazard			F	tial Ri Rating (S x L)	g			inal Ri Ratinı (S x L	3	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		face/eyes/nose/mouth with unwashed hands and cover your cough or sneeze with a tissue then throw it in the bin.										
Poor Respiratory Hygiene	Reduced infection control which may result in spread of COVID19	 Tissues provided in all classroom. Lidded bins provided in all classrooms and in communal areas. Relay the <u>"catch it, kill it, bin it"</u> approach to all staff and pupils. 	м	L	L		М	L	L			
Outdoor play/PE	Staff and pupils Reduced infection control which may result in spread of COVID19	 Play equipment/PE Equipment is cleaned and disinfected regularly. All pupils to wash hands for a minimum of 20 seconds using soap and water, or hand sanitiser before and after using PE/playground/sports equipment. Bins with lids are provided in areas where PE is taking place to bin any tissues used for respiratory hygiene. Tissues are kept with the 	м	L	L		м	L	L			

Leicestershire Traded Services Leicestershire County Council

Hazard			F	itial R Ratin (S x L	g				inal Ri Ratinı (S x L	3	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Dick Dating	Kisk Kating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		teacher to facilitate <u>"catch it,</u> <u>bin it, kill it",</u> this will help with good respiratory hygiene.											
First Aid provision / Medical Needs	Staff and pupils Reduced infection control which may result in spread of COVID19 (Carrying out 1st aid may require the 1+mtr social distancing rule to be broken)	 A first aider should not be administering first aid treatment to a person who has the symptoms of COVID-19 unless life threatening condition and using St John's ambulance guidance (link at end of document). Isolation care can be given. If a child presents symptoms of COVID-19 they will be isolated 1+m away from people and parents called to collect them. When physical contact is necessary PPE appropriate to the level of risk is to be worn (Gloves, face mask, apron, eye protection). The first aider will cover any cuts on their hands with waterproof plasters. The first aider will avoid putting their fingers in their mouth and 	Н	М	N	Л		Н	м	М			



			F	tial Ri Rating (S x L)	ş		1	inal Ri Rating (S x L)	3	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 touching their face. Upon completion of first aid, thoroughly wash & dry the hands and any points of contact, and clean & disinfect the affected area. After using the face masks, aprons and gloves they will be correctly doffed and placed straight into a bag and the bags tied. NHS hand washing posters have been installed above sinks to give information on good hand washing techniques. Face masks and gloves will only be used for 1 treatment of first aid they will not be used to treat a second person requiring first aid. There is a dedicated room for first aid that will be used solely for first aid treatment to help prevent bodily fluids contaminating other parts of the building. 										



Hazard			F	tial Ri Rating (S x L)	3			inal Ri Rating (S x L	g	Actio	on Requir	ed
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 The first aid room is well ventilated at all times. No food will be stored or eaten in the first aid room. 										
Intimate care	Staff and pupils Reduced infection control which may result in spread of COVID19	 The staff member providing the intimate care will wash hands thoroughly before and after providing intimate care, using soap and water for at least 20 seconds. Use alcohol-based hand sanitiser if soap and water is not available. NHS hand washing posters have been installed above sinks to give information on good hand washing techniques. Face coverings (or any form of medical mask where instructed to be used for specific clinical reasons) will not be worn during this activity by those who may not be able to handle them as directed (for example, young children, or those with special educational needs or disabilities) as it may 	Н	М	н		Н	м	н			



Hazard				tial Ri Rating (S x L)	g			inal Risk Rating (S x L)		Action Required		
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Rick Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 inadvertently increase the risk of transmission. Children, young people and students whose care routinely already involves the use of PPE due to their intimate care needs will continue to receive their care in the same way. If a child becomes unwell with symptoms of coronavirus while in their setting and needs direct personal care until they can return home. A fluid-resistant surgical face mask should be worn by the supervising adult if 2 meters social distancing cannot be maintained. After using the face masks, aprons and gloves they will be correctly doffed and placed straight into a double bag and the bags tied. The bags will then be stored in a locked room for 72 hours before putting them into the external waste skip/bin. 										



Hazard			F	tial R Rating (S x L)	g			nal Risk Rating (S x L)		Action Required		
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 If contact with the unwell child or young person is necessary, then disposable gloves, a disposable apron and a fluid- resistant surgical face mask should be worn by the supervising adult. If a there is a risk of splashing to the eyes, for example from coughing, spitting, or vomiting, then eye protection should also be worn. 										
Insufficient Cleaning	Staff, pupils, parents/ visitors and contractors <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19</i>	 A detailed cleaning schedule will be implemented throughout the school, ensuring that contact points, e.g. worksurfaces, door handles, taps etc. are all thoroughly cleaned and disinfected regularly. Hard surfaces to be cleaned with soap and water prior to disinfecting. Disinfecting should be performed using either a combined detergent disinfectant solution at a 	Н	м	н	 Deep cleaning schedule available to support enhanced clean. Gov.uk <u>guidance</u> to be monitored to ensure the most up to date information is always available. 	н	L	М			
Insufficient Cleaning		disinfectant solution at a dilution of 1000 parts per										



Hazard			F	tial Ri Rating (S x L)	ş			inal Ri Rating (S x L)	ting Action Required			
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
(continued)		 million (ppm) available chlorine (av.cl.) or a neutral purpose detergent followed by disinfection (1000 ppm av.cl.) the google and visor will be rinsed with clean water after being disinfected. Extra attention is given to frequently touched areas and surfaces, e.g. doors, toilets, door handles, phones, light switches and door fobs, etc. Hand towels and hand wash are checked and replaced as needed by the Premises Officer and cleaning staff. Only cleaning products supplied by the school are used. Please refer to the school's COSHH risk assessments for further control measures in relation to cleaning chemicals used. PPE required for cleaning will be noted in the outcome of the COSHH risk assessments 										



Hazard				tial Ri Rating (S x L)	5			Final Risk Rating (S x L)		Action Required		
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 conducted for cleaning chemicals used. Bin liners should be used in all bins and waste bins should be emptied into the external waste bin/skip. 										
Poor Ventilation / Lack of Ventilation Thermal Discomfort in colder months	Staff, pupils, visitors, contractors. <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19.</i> COVID-19 transmitting through mechanical ventilation ducts that link between rooms.	 Natural ventilation is provided by opening windows. In cooler weather windows will be opened just enough to provide constant background ventilation. Windows will be opened more fully during breaks to purge the air in the space. Parents have been informed that the uniform policy has been relaxed to allow for pupils to wear warm clothing such as a jumper or jacket in colder months. Natural ventilation is provided by opening external doors where this would not create a safeguarding and/or fire risk. 										

Leicestershire Traded Services Leicestershire County Council

Hazard				itial Ri Rating (S x L)	g			Final Risk Rating (S x L)		Action Required		
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)		Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		 where possible to avoid direct drafts. This may prove to be difficult where class sizes are large. Heating will be used and adjusted as necessary in occupied spaces to help to ensure thermal comfort levels are maintained. 										
Carrying out daily/essential building maintenance	Staff, pupils, parents/ visitors and contractors . <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19</i>	 Strict hygiene rules to be implemented, all contractors are to be asked to do the following: Wash hands on entry into individual work areas – or use alcohol-based hand sanitiser. Repeat the hand washing/sanitising regularly. The contractor is to notify the premises staff of all areas visited, in order that these can then be thoroughly cleaned. Contractors & Third Party Organisations working on site 	м	м	L		М	М	L			



Hazard				tial Ri: Rating S x L)	5			Final Risk Rating (S x L)		Action Required		
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
		are to have their own COVID 19 risk assessments and safe systems of work which are compatible with the school COVID 19 arrangements, or are to comply with the schools arrangements.										
Breakfast and after school clubs	Staff, pupils, parents/ visitors and contractors <i>Reduced infection</i> <i>control which may</i> <i>result in spread of</i> <i>COVID19</i>	• Individual Covid risk assessments should be available for activities taking place out of school hours. This should contain controls to reduce the spread of COVID19 and be consistent with step 4 guidance for the activity being undertaken e.g. music clubs, grassroots sport										
Residential visits / off- site visits	Staff, pupils, parents/ visitors and contractors Reduced infection control which may	 A COVID risk assessment will be created for each off-site visit. Any educational visits will be conducted in line with relevant COVID-19 guidance and regulations in place at that time both domestically and 										



Hazard			Initial Risk Rating (S x L)		g			Final Risk Rating (S x L)		Action Required		
(Something with a potential to cause harm)	Who might be Harmed & How?	Existing Controls (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Further Controls Required (Consider Hierarchy of Control)	Severity	Likelihood	Risk Rating	Who (Initial)	Date By: (//- -)	Done?
	result in spread of COVID19	 internationally. OEAP and government guidance will be followed during the visits and will be used to help develop risk assessments for the visits. 										

Source:

- <u>Schools COVID-19 operational guidance</u>
- Actions for early years and childcare providers during the COVID-19 pandemic
- Health and safety: responsibilities and duties for schools
- <u>The use of personal protective equipment (PPE) in education, childcare and children's social care settings, including for aerosol generating procedures</u> (AGPs)
- Dedicated transport to schools and colleges COVID-19 operational guidance
- <u>COVID-19: Actions for out-of-school settings</u>
- Out-of-school settings: COVID-19 guidance for parents and carers
- Contacts: PHE health protection teams: <u>https://www.gov.uk/guidance/contacts-phe-health-protection-teams</u>
- Hand wash video <u>https://www.gov.uk/guidance/coronavirus-covid-19-information-for-the-public</u>
- Source NHS: <u>https://www.nhs.uk/conditions/coronavirus-covid-19/check-if-you-have-coronavirus-symptoms/</u>
- St. John Ambulance Covid-19: advice for first aiders: https://www.sja.org.uk/get-advice/first-aid-advice/covid-19-advice-for-first-aiders/



- Conducting a SEND risk assessment during the coronavirus outbreak: <u>https://www.gov.uk/government/publications/coronavirus-covid-19-send-risk-assessment-guidance/coronavirus-covid-19-send-risk-assessment-guidance</u>
- HSE. Talking with your workers about preventing coronavirus: <u>https://www.hse.gov.uk/news/assets/docs/talking-with-your-workers.pdf</u>
- Contact for PPE orders if you have difficulties with your own suppliers:
 - Leicester City : <u>icrs.service@leicester.gov.uk</u>
 - Leicester County: enquirylinequality&contracts@leics.gov.uk
 - Rutland: <u>PPE@rutland.gov.uk</u>

	1. Child displays symptoms with CV19
During this activity, what could go wrong resulting in an	2. Child from teaching group who has been sent home becomes confirmed case.
emergency situation?	3. Staff becoming ill and self-isolating.
	1. Isolate child until collected.
How could this emergency situation be prevented / controlled?	2. All children in that teaching group to be sent home and told to self-isolate for 10 days.
	3. Follow self-isolating guidance, ensure that reporting of illness procedures well understood.
	1. Staff to supervise child until collected where 2m rule cannot be implemented PPE to be worn.
Who should respond to a potential emergency situation and how? Have staff been trained to respond to this emergency situation?	2. Make staff aware of guidance in link below, develop guidance on internal monitoring of staff and pupils on self-isolation and student attendance recording.
	3. Follow guidance: <u>https://www.gov.uk/government/publications/coronavirus-covid-19-implementing-</u>

	protective-measures-in-education-and-childcare-settings/coronavirus-covid-19-implementing-
	protective-measures-in-education-and-childcare-settings Consider reallocating staff or capacity of
	school to remain open. Consult Trust on closure and inform LEA.
Could any non – routine changes affect the safety	Additional pupil numbers in phase 2 and 3 – review procedures and social distancing, refer to any new
arrangements in place for this activity? (E.g. weather,	government guidance.
people, equipment etc.) What can be done?	

Risk Assessor (s) Name(s):	Louise Barber Sarah Eaton	Risk Assessor(s) Signature (S):	5 Jan	
Authorised By:		Authoriser Signature:		Initial
Date Conducted:	22.07.21	Date of Next Review:		
		Date of Review:	30.10.2021	SE
		Date of Review:	December 2021	SE
		Date of Review:	January 2021	SE
		Date of Review:		

ial Severity Harm	High Death, paralysis, long term serious ill health.	Medium	High	High
ntia of I	Medium			
otei	An injury requiring further medical assistance or is a	Low	Medium	High
đ	RIDDOR incident.			

Low Minor injuries not resulting in any first aid or absence from work.	Low	Low	Medium				
	Low The event is unlikely to happen.	Medium It is fairly likely to happen.	High It is likely to happen.				
	Likelihood of Harm Occurring						

Risk Rating Definitions	
Low	This is an acceptable level of risk. No further controls are required as the risk rating cannot be reduced any further. However, it is advised that continual monitoring occurs in order to ensure that no changes / deviation of control measures occur.
Medium	It is advised that further controls are implemented to reduce the risk rating to as low a level as possible. If the risk cannot be reduced to lower than a medium, then on site monitoring should occur to ensure that all stipulated controls are being adhered to.
High	This is an unacceptable risk rating. Urgent interim controls should be implemented to reduce the risk so far as is reasonably practicable. If the risk rating cannot be reduced to lower than a High , then a documented safe system of work should be implemented to control the activity. It may be necessary to seek further professional advice. Serious considerations should be given to the validity of carrying out the activity at all. Regular monitoring of the activity should occur.

